

MARQUIS

Coastal Collection

Palm

Palm 1 600mm all drawer centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
• Waste centre: 300mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

— brought —

elenni

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

Latest version: 14/07/2025

Palm

Palm 2 750mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
• **Waste centre:** 250mm std
(may vary depending on basin)
• **Left or right hand basin**
(Door opposite side to basin)

 **Plumbing allowance**


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS Coastal Collection

Palm

Palm 3 900mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 250mm std
(may vary depending on basin)
• Left or right hand basin
(Door opposite side to basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

— brought —

elenni
Kitchen & Bathroom Collection

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

Latest version: 14/07/2025

MARQUIS Coastal Collection

Palm

Palm 4 1200mm centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 300mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

— brought —

elenni
Kitchen & Bathroom Collection

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

Latest version: 14/07/2025

Palm

Palm 5 1200mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
• Waste centre: 300mm std
(may vary depending on basin)
• Left or right hand basin

 **Plumbing allowance**


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 6 1200mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 300mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 7 1500mm centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 750mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 8 1500mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
• Waste centre: 375mm std
(may vary depending on basin)
• Left or right hand basin

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 9 1500mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 375mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 10 1800mm centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 900mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 11 1800mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
• Waste centre: 450mm std
(may vary depending on basin)
• Left or right hand basin

 **Plumbing allowance**


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 12 1800mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 450mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 13 750mm all drawer centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 450mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 14 900mm all drawer centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 450mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Coastal Collection

Palm

Palm 15 1200mm all drawer centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 600mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in ‘mm’ and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

— brought —

elenni
Kitchen & Bathroom Collection

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

Latest version: 14/07/2025

Palm

Palm 16 1200mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 300mm std
(may vary depending on basin)
• Left or right hand basin

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 17 1200mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 300mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 18 1500mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 375mm std
(may vary depending on basin)
• Left or right hand basin

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Coastal Collection

Palm

Palm 19 1500mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 375mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount



CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in ‘mm’ and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

— brought —

elenni
Kitchen & Bathroom Collection

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

Latest version: 14/07/2025

Palm

Palm 20 1800mm off centre basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 450mm std
(may vary depending on basin)
• Left or right hand basin

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Palm

Palm 21 1800mm double basin


Top Thickness
Caesarstone: 20mm
Symphony: 20mm
Dekton: 12mm
Vasari: 12mm

Note:
•Waste centre: 450mm std
(may vary depending on basin)

Plumbing allowance


PROFILE

Leg




CONFIGURATION

Legs




PROFILE

Wallmount




CONFIGURATION

Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.