MARQUIS

Salamander

Salamander 1 600mm centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 2 750mm centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 375mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Latest version: 16/06/2023

MARQUIS

Salamander

Salamander 3 750mm off centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300mm std (may vary depending on basin)
- **Left or Right hand basin**

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

Latest version: 16/06/2023

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

MARQUIS

Salamander

Salamander 4 900mm off centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 250mm std (may vary depending on basin)
- **Left or Right hand basin**

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

MARQUIS

Salamander

Salamander 5 1200mm off centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300mm std (may vary depending on basin)
- **Left or Right hand basin**

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 6 1200mm double basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 7 1500mm centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 750mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 8 1500mm off centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300 mm std (may vary depending on basin)
- **Left or Right hand basin**

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129

MARQUIS

Salamander

Salamander 9 1500mm double basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 300mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 10 1800mm single basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 900mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 11 1800mm off centre basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 400mm std (may vary depending on basin)
- **Left or Right hand basin**

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.

MARQUIS

Salamander

Salamander 12 1800mm double basin

Top Thickness
Caesarstone: 20mm
Dekton: 12mm
Stone Ambassador: 20mm
Vasari: 12mm
Symphony: 20mm
Timber: 30-35mm
(Above counter only)

Note:
- **Stone & Timber waste centre:** 400mm std (may vary depending on basin)

Plumbing allowance

PROFILE Kick



CONFIGURATION Kick



PROFILE Legs



CONFIGURATION Legs



PROFILE Wallmount



CONFIGURATION Wallmount



TOP DRAWER BOX



Latest version: 16/06/2023

All measurements are in 'mm' and are approximate and to be used as a guide only. Installation preparations are not recommended without product onsite.