Koko Gloss

WALL HUNG TOILET

Features

WELS 4 Star - 4.6/3L (3.3L avg/flush) with R&T cistern


- Gloss white finish
- Tornado rimless ultra quiet flush
- UF quick release, soft close seat
- Concealed design (includes mounting screws)
- Stainless steel hinges
- P-Trap only

Note: Cistern and flush buttons required (sold separately)



Tornado Rimless

Ultra Quiet Flush





Available in

P-Trap Pan & Seat
K2376W-PS

P-Trap R&T
K2376W-RT

P-Trap Geberit Sigma
K2376W-GE

P-Trap Geberit Kappa
K2376W-GK

Cleaning & Care

- The toilet seat may be removed for cleaning - depress the quick release buttons and lift up.
- Clean only with a soft cloth or sponge using warm water and mild soap or detergent. Do not use any abrasive cleaning materials.
- Do not use any solvents or corrosive liquids.
- Note that use of clip-on deodorisers will affect flushing performance on rimless suites.

WaterMark

WATER RATING
www.waterrating.gov.au
3.3 litres average flush
Licence No. 0252
Fienza

We aim to ensure that specifications are correct at the time of publication. All measurements are shown in millimetres. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Always use measurements of actual product received for final specification as the technical drawing may contain differences. Due to printing limitations, physical colour may vary from the image shown. Fienza reserves the right to make modifications without prior notice.

R&T

IN-WALL CISTERN & FRAME

FOR WALL-HUNG PANS


Features

WELS 4 Star - 4.5/3L (3.3L avg/flush)

- Designed for wall-hung pans
- HDPE one-piece tank
- Operating pressure: 10-100 kpa
- Weight rating: 400 kg
- Fits 90 mm stud wall



R&T®



G30031

WaterMark

WATER RATING
www.waterrating.gov.au
3.3 litres average flush
4.5 L per full flush / 3 L per half flush
In accordance with AS/NZS 6400
Licence No. 0252
Fienza

We aim to ensure that specifications are correct at the time of publication. All measurements are shown in millimetres. Always use measurements of actual product received for final specification as the technical drawing may contain differences. Due to printing limitations, physical colour may vary from the image shown. Fienza reserves the right to make modifications without prior notice.

Viega Prevista Dry

IN-WALL CISTERN & FRAME


FOR WALL HUNG PANS

Features

WELS 4 Star – 4.36/3.19L (3.4L avg/flush)

- For use with wall hung or wall mounted pans
- Fits 90 mm depth stud walls
- Compatible with all flush plates for Prevista
- Flush actuation from front
- Dual flush technology
- Load rating: 400 kg





V-02

WaterMark

WATER RATING
www.waterrating.gov.au
3.4 litres average flush
Licence No. 1616
Viega

We aim to ensure that specifications are correct at the time of publication. All measurements are shown in millimetres. Always use measurements of actual product received for final specification as the technical drawing may contain differences. Due to printing limitations, physical colour may vary from the image shown. Fienza reserves the right to make modifications without prior notice.

Viega Prevista Dry

UNDER COUNTER CONCEALED CISTERN


FOR WALL HUNG PANS

Features

WELS 4 Star – 4.66/2.93L (3.4L avg/flush)

- For use with wall faced or floor mounted pans
- Compatible with all flush plates for Prevista
- Flush actuation from front
- Dual flush technology
- Made in Germany





V-04

WaterMark

WATER RATING
www.waterrating.gov.au
3.4 litres average flush
Licence No. 1616
Viega

We aim to ensure that specifications are correct at the time of publication. All measurements are shown in millimetres. Always use measurements of actual product received for final specification as the technical drawing may contain differences. Due to printing limitations, physical colour may vary from the image shown. Fienza reserves the right to make modifications without prior notice.