

I-SERIES 450


LED MIRROR

PRODUCT CODE
IN45D










MEASUREMENTS	
WIDTH	450mm
HEIGHT	900mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz



CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2


Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier

LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 600x1000mm, and landscape 900x600mm,

1200x900mm, 1500x800mm, 1800x800mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®

GUARDIAN GLASS

5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier

V1


www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129


I-SERIES 600


LED MIRROR

PRODUCT CODE
IN60D









MEASUREMENTS	
WIDTH	600mm
HEIGHT	1000mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz

CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2



Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier



LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 450x900mm, and landscape 900x600mm,

1200x900mm, 1500x800mm, 1800x800mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®
GUARDIAN GLASS
5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier

V1


www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129


I-SERIES 900


LED MIRROR

PRODUCT CODE
IN90D










MEASUREMENTS	
WIDTH	900mm
HEIGHT	600mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz



CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2


Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier

LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 1200x900mm, 1500x800mm, 1800x800mm and portrait 450x900mm, 600x1000mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®

GUARDIAN GLASS

AUSTRALIAN MADE

5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier

V1


www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129


I-SERIES 1200


LED MIRROR

PRODUCT CODE
IN120D










MEASUREMENTS	
WIDTH	1200mm
HEIGHT	900mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz



CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2


Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier

LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 900x600mm, 1500x800mm, 1800x800mm and portrait 450x900mm, 600x1000mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®

GUARDIAN GLASS

5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier

V1


www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129


I-SERIES 1500


LED MIRROR

PRODUCT CODE
IN150D










MEASUREMENTS	
WIDTH	1500mm
HEIGHT	800mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz



CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2


Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier

LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 900x600mm, 1200x900mm, 1800x800mm and portrait 450x900mm, 600x1000mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®
GUARDIAN GLASS
AUSTRALIAN MADE
5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier


V1


www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129


I-SERIES 1800


LED MIRROR

PRODUCT CODE
IN180D










MEASUREMENTS	
WIDTH	1800mm
HEIGHT	800mm
DEPTH	35-40mm

INSTALLATION	
Wall mount (Split batten system)	
Plug-in (Recessed GPO recommended)	
Input voltage:	220-240v 50/60Hz



CONTROL OPTIONS	Code
Touch sensor with guide light	C1
Hand wave sensor within 9cm	C2


Touch Sensor


Hand Wave Sensor

OPTIONAL ADD-ONS	Code
Bluetooth Speakers	BT
Mirage Magnifier	AMX5MW


Bluetooth Speakers


Mirage Magnifier

LIGHTING SPECIFICATIONS

Seamless LED lighting
Superior colour rendering: CRI 90
High-density design: 240 LEDs/m
LED Lifetime >54,000h L80
Adjustable colour temperature: CCT 2700K – 6500K
Up to 12w per metre
High efficacy, up to 1182 lumens per metre

GENERAL SPECIFICATION

5mm Guardian Glass UltraMirror® Plus
Demister
1 hour power saving cut off
RCM certified IP44 rated ModuBox®
Up to 600mm cord length
Modular construction for simplified servicing and longevity
Form 15 compliant
Backlit
Australian made & designed

I-Series also available in 900x600mm, 1200x900mm, 1500x800mm and portrait 450x900mm, 600x1000mm

CLEANING AND MAINTENANCE TIPS

Please clean mirror surface with a mixture of 10% methylated spirits and 90% water and use a soft micro-fibre cloth/chamois.

Dry off mirror edges.

Wipe off wall water spillages immediately.

DO NOT Use any abrasive, acidic or alkaline based solvents or cleaners. Avoid sharp objects and keep heat and hot objects away from all surfaces of any Remer products.

REMER

ModuBox®
GUARDIAN GLASS
AUSTRALIAN MADE
5 YEAR* WARRANTY

Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty. Mirage attachment zone may vary, mirror will arrive with stickers showing exact attachment zone. Made-to-order cannot be cancelled, altered, exchanged or refunded unless faulty or damaged. 5 year replacement warranty excludes Mirage magnifier

V1

www.elenni.com.au
customerservice@elenni.com.au
Contact us 07 32099644
1 Bryants Rd, Loganholme QLD 4129